PIESCAL OF PATENT EXAMINING PROCEDURE

FTO SB 08 (2592). Sheet 1 at 4 (27)

Form PTO-1449 (SEP 1 / 2001)				0152.00372		09/593,629		
INFORM	IATION DISCLOSURE IN AN APPACACIO		ON	Applicant Don F. Cameron.	et al	<u></u>		,
ſ	Use several sheets if necess			Filing Date 06/13/00		Group Art Un 1633	1(
	•	U.S. Pa	ATEN	T DOCUMEN	TS			
EXAMINER INITIAL	DOCUMENT NUMBER	DATE		NAME	CLASS	SUBCLASS	FILING IF APPRO	
<u> </u>	5,843-43()	12-1-98	Selaw	vry				
	5.958 404		Selawry					·
	5,849 285		Selaw	сту				
	5,759 534	7-12-18	Selaw	cry				
<i>i'</i>	5,725 854	1 -23	Selaw	ry				
	FO	OREIGN	PAT	ENT DOCUM	ENTS		-	
	DOCKET NUMBER	DATE		COUNTRY	CLASS	SUBCLASS	TRANSI YES	NO NO
	OTHER DOCUM	ENTS (Includi	ing Author, Title, I	Date Pertin	ent Pages, Eta	`. <i>)</i>	
	Alderson, D. et al (1987).							6-917.
T.	Alison E. et al (1998). So Today, 4:471-477.	ertoli cell tr	ansplan	ts: their use in the tr	eatment of n	eurodegenerativ	e disease. M	iol. Med.
	Bardin, C.W. et al (1988)			In: The Physiology	of Reproduc	<u>tion</u> . Knobil. I	L and J. Neil	(eds).
	 Raven Press, Ltd., New York, Pp 933-974. Barker, C.F. et al (1968). The Role of Afferent Lymphocytes in the Rejection of Skin Homografts. J. Exp. Med. 128:197-221. 							
	Becker, J.L. et al (1993). Three-Dimensional Growth and Differentiation of Ovarian Tumor Cell Line in High Aspect Rotating Wal Vessel: Morphologic and Embryologic Considerations. J. Cellul. Biochem. 51:283-289.							
	Bellgrau, D., et al (1995).							
į	Borlongan, C.V. et al. (12) Sertoli cells. Proc. Am. S			covery in female her	шрагкивош	an raes ronowin	g transpianta	tion of
	Borlongan, C.V. et al (19) hydroxydopmine induced	97). Intrace	erebral t					th 6
	Born, W. and H. Wekerle Implications for the Testi-	(1982). La	eydig Co	ells Nonspecifically	Suppress Ly	mphoproliterati	on In Vitro:	
,	Born, W. et al (1981). Se Leydig Cells. Fur. J. Cell			gically Nonspecific .	Adherence o	f Lymphoid Cel	lls and Myelo	id Cells to
	Calafiore, R. et al (1990). Langerhans, Metabelism	39:175-18	1.					
	Cameron, D.F. et al (1990 Transplantation, 50: 649-	653.			•			
	Cameron, D.F. et al :1990 Potential in BBWOR Dta	hetic Rats.	J. Phys	iol., 259 (Endocrino	l. Metab., 22	1c F881-F889.		
	Cameron, D.F. et al (1991) 100:623-633.							
4	Cameron, D.F. et al (1993) Endocrinel, J. 1:61-65.	U. Testoste	erone St	imulates Spermatid	Binding to C	ompetent Serto	li cells In Vit	ro.

1/12/02

<i>_</i> / .	_					
\$	Cameron, D.F. et al. 1999. Enhanced post-thaw viability of cryopreserved rat fetal brain cells by Sert-a cells by Sert-of-cells by Sert-of-cel					
	Cameron, D.F. et al. 1997. Post thaw viability and functionality of cryopreserved rat fetal brain cells co-cultured with Sertoli cells. Cell Transplant, 6:185-189.					
	Cameron, D.F. et al (1998). Development of Sertoli cell binding competence in the peripubertal rat. J. Andrology, 19:573-579.					
2001	Cantrell, D.A. et al. (1984). The Interleukin-2 T-Cell system: A New Cell Growth Model. Science. 224 1312-1316.					
-	Chervonsky, A.V. et al. 1997. The role of Fas in autoimmune diabetes. <i>Cell</i> . 89:17.					
	DeCesarts, A. et al. (1992 — Inherition of Lymphocyte Activation by Sertoli Cell Immunosuppressive Factoriss — Immunologia et Immunotarma ologia. (12)(2)(86).					
	Edgington, S.M. (1992) New Horizons for Stem-Cell Bioreactors. Bio/Technology 10:1099-1106.					
	Evans M.G. et al. (1990). Reversal of Diabetes in Dogs by Transplantation of Pure cryopreserved Islets. Transplantation. 50:202–206.					
l	Fawcett, D.W. et al (1973). Comparative Observation on Intertubular Lymphatics and the Organization of the					
	Interstitial Tissue of the Mammalian Testis. Biol. Reprod. 9:500-512.					
	Gainer, A.L. et al (1998). Improved survival of biolistically transfected mouse islet allogratts expressing CTLA4-Ig or soluble Fas ligand. <i>Transplantation</i> , 66:194-9.					
	Gondos, B. et al (1993). Postnatal and Pubertal Development. In: <u>The Sertoli Cell</u> , 1993. Russell LD, Griswold MD (eds). Cache River Press, Clearwater. Florida, pp. 493-508.					
	Goodwin, T.J. et al (1992). Morphologic Differentiation of Colon Carcinoma Cell Lines HT-29 and HT-29KM in Rotating Wall Vessels. <i>In Vitro Cell. Dev. Biol.</i> 28A:47-60.					
	Goodwin, T.J. et al (1993). Reduced Shear Stress: A Major Component in the Ability of Manunalian Tissues to Form Three-Dimensional Assemblies in Stimulated Microgravity. <i>J. Cellul. Biochem.</i> 51:301-311.					
	Goodwin, T.J. et al (1993). Rotating-Wall Vessel Coculture of Small Intestine as a Prelude to Tissue Modeling: Aspects of Stimulated Microgravity. <i>Proceed Experiment. Biol. Med.</i> 202:181-192.					
	Gray, D.W.R. et al (1984). A Method for the Isolation of Islets of Langerhans from the Human Pancreas. <i>Diabetes</i> , 33:1055-1061.					
	Green, C.J. et al (1978). Extensive Prolongation of Rabbit Kidney Allograft Survival after Short-Term Cyclosporin-A Treatment. <i>Lancet</i> , 1:1182-1183.					
	Griswold MD. Actions of FSH on mammalian Sertoli cells. In: <u>The Sertoli Cell</u> , 1993. Russell LD, Griswold MD (eds). Cache River Press, Clearwater, Florida, pp 493-508.					
	Hadley, M. et al (1985). Extracellular matrix regulates Sertoli cell differentiation, testis cord formation and germ cell development in vitro. <i>J. Cell Biol.</i> 101:1511-22.					
	Head, J. et al (1983). Immune Privilege in the Testis. I. Basic Parameters of Allograft Survival. <i>Transplantation</i> . 36:423-431.					
	Head, J. et al (1983). Reconsideration of the Lymphatic Drainage of the Rat Testis. Transplantation, 35:91-95.					
	Hedger, M.P. (1989). The Testis as an "Immunologically Suppressed" Tissue? Reprod. Fertil. Dev. 1:75-81.					
	Hess, A.D. (1985). Effect of Interleukin 2 on the Immunosuppressive Action of Cyclosporine. <i>Transplantation</i> . 39:62-68.					
	Homan, W.P. et al. (1980). Studies on the Immunosuppressive Properties of cyclosporin A in Rats Receiving renal Allografts. <i>Transplantation</i> , 29:361-366.					
	Horaguchi, A. and R.C. Merrell (1981). Preparation of Vible Islet Cells from Dogs by a New Method. <i>Diabetes</i> , 30:455-458.					
	Kang, S.M. et al (1997). Fas ligand expression in islets of Langerhans does not confer immune privilege and instead targets them for rapid destruction. <i>Nature Med.</i> 3,738.					
	Kaufman, D.B. et al (1990). Functional Outcome as Influenced by Islet Number and Implantation Site. Transplantation, 50:385-391.					
	Kneteman, N.M. et al (1986). Isolation and Cryopreservation of Human Panercatic Islets. <i>Transplant. Proc.</i> 18:182-185.					
	Kneteman, N.M. et al (1990). Prolonged Function of Canine Fragments Autotransplanted to the Spleen by Venous Reflux. <i>Transplantation</i> , 49:679-681.					
	Kuhn F. et al (1985). Morphological Investigations in Human Islets of Langerhans Isolated by the Velcro Technique. <i>Biomed. Biochem. Acta.</i> 44:149-153.					
	Lau, H, et al (1996). Prevention of islet allograft rejection with engineered myoblasts expressing FasL in mice. Science, 273:109.					
	Leapman, S.B., et al (1981). Differential Effects of Cyclosporine A on Lymphocyte Subpopulations. <i>Transplant Proc.</i> 13(405-409)					
	London, N.J.M. et al (1990). A Simple Method for the Release of Islets by Controlled Digestion of the Human Pancreas. <i>Transplantation</i> 49: 1109-1113.					
	Martin, D.C. (1982). Malignancy in the Cryptorchid Testis. Urol. Clinics N. Amer. 9:371-376.					
	Muruve, D. et al (1997). Adenovirus-mediated expression of Fas ligand indices hepatic apoptosis after systemic					
\ \ \ \	administration and apoptosis of ex vivo-infected pancreatic islet allografts and isografts. Human Gene Ther. 8:955.					

E Em

4/12/22

SEF

	Naji, A. et al (1981). Prevention of Drabetes in Kats by Bone Marrow Transplantation. Ann. Surg. 194:328-338
	Ogasawara, J. et al (1993). Lethal effect of the anti-Fas antibody in mice. Nature, 364:806.
7	Othberg, A.I. et al (1998). Preparation of cell suspension for costransplantation; methodological considerations
	Neurosci let., 247:111-114.
1 7 2001	Othberg, A.I. et al (1998). Trophic effect of porcine Sertoli cells on rat and human ventral mesencephalic cells an hNT neurons in vitro. <i>Cell Transplant</i> , 7:157-164
3/	Prowse, S.J. et al. 1986). Islet Allografts are Destroyed by Disease Occurrence in the Spontaneously Diabetic BB Rat. Diabetes, 35:110-118.
	Ricordi, C. et al (1989). Automated Islet Isolation form Human Pancreas. Diabetes. 38 (Suppl. 1):140-142.
	Ricordi, C., et al (1990). Isolation of the Ilusive Pig Islet. Surgery, 107:688-694.
	Sanberg, P.R. et al (1966). New horizons in xenograft cross-species transplantation for neurodegenerative disease Proc. Internat. Behav. Neurosci. Soc.
	Sanberg, P.R. et al (1995). The effects of Sertoli cell co-transplantation with chromaffin cells in the rat model of Parkinson's disease. Nature's Letters (In review.
	Sanberg, P.R. et al (1996). Testis-derived Sertoli cells survive and provide localized immunoprotection for xenografts in rat brain. Nature Biotechnol. 14:1692-5.
Ì	Sanberg, P.R. et al (1996). Transplantation of testis-derived Sertoli cells into the Mammalian brain. Third Internation Cong. Cell Transpl. Soc
	Sanberg, P.R. et al (1997). Testis-derived cultured Sertoli cell as a natural FasL secreting cell for
	immuosuppressive cellular therapy. Cell Transplant., 191-193. Sanberg, P.R. et al (1997). Testis-derived Sertoli cells have a trophic effect on dopamine neurons and alleviate
	hemiparkinsonian in rats. Nature Medicine, 3:1129-1132. Scharp, D.W. (1988). The Elusive Human Islet: Variables Involved in its Effective Recovery. In: VanSchilgaard R. Hardy M.A. eds. <u>Transplantation of the Endocrine Pancreas in Diabetes Mellitus</u> . Amsterdam Elsevier, page
	97. Scharp, D.W. et al (1987). Low-Temperature Culture of Human Islets Isolated by the Distention Method and
	Purified with Ficoll or Percoll Gradients. Surgery, 102:869-879.
	Schwarz, R.P. et al (1992). Cell Culture for Three-Dimensional Modeling in Rotating-Wall Vessels: An Application of Stimulated Microgravity. J. Tiss. Cult. Meth. 14:51-58.
	Selawry, H. et al (1993). Sertoli Cell-Enriched Fractions in Successful Islet Cell Transplantation. Cell Transplantation 2:123-129.
	Selawry, H. et al (1993). Sertoli Cell-Enriched Fractions in Successful Islet Cell Transplantation. <i>Cell Transplantation</i> , 2:123-129.
	Selawry, H., et al (1986). Effect of Cyclosporine on Islet Xenograft Survival in the BB/W Rat. <i>Transplantation</i> , 42:568-575.
	Selawry, H., et al (1987). Extended Survival of the MHC-Compatible Islet Isografts in the Spontaneously Diabet BB/W Rat. <i>Diabetes</i> , 36:1061-1070.
	Selawry, H., et al. Production of a Factor, or Factors, Suppressing II2 Production and T cell Proliferation by Sertoli Cell-Enriched preparations. <i>Transplantation</i> , 52:846-850.
	Selawry, H.P. et al (1989). Abdominal, Intratesticular Islet-Xenograft Survival in Rat. <i>Diabetes</i> , 38:220-223.
	Selawry, H.P. et al (1996). Sertoli Cell-induced Effects on Functional and Structural Characteristics of Isolated Neonatal Porcine Islets. <i>Cell Transplantation</i> , 5:517-24.
	Selawry, H.R. et al (1985). Intratesticular Islet Allografts in the Spontaneously Diabetic BB/W Rat. Diabetes.
	34:1019-1023. Skinner, M.K. (1993). Secretion of Growth Factors and Other Regulatory Factors. In: <u>The Sertoli Cell</u> , 1993.
	Russell LD, Griswold MD (eds). Cache River Press, Clearwater, Florida. pp 493-508. Tanaka, M, et al (1997). Lethal effect of recombinant human Fas ligand in mice pretreated with Propionibacteriu
	acnes. J. Immunol. 158:2303. Thompson, S.C. et al (1990). Preparation and Assessment of Tissue for Transplantation and its In Vivo
	Development in Athymic (Nude Mice). Transplantation, 49:571-581. Warmock, G.L. et al (1988). Studies of the Isolation and Viability of Human Islets of Langerhans. Translantation
	45:957-963. Warnock, G.L., et al (1989). Viable Purified Islets from Collagenase-Perfused Human Pancreas. <i>Diabetes</i> , 38
	(Suppl.1):136-139.
	Weringer, E.J. et al (1985). Immune Attack on Pancreatic Islet Transplants in the Spontaneously Diabetei. Biobreeding/Worcester (BB/W) Rat is not MHC Restricted. <i>J. Immunol.</i> 134:2383-2391.
	- I WU 12 - W. U. A. L. 1979. The area of the Control of the Third Control of the Defails of the Defails of the Control of
	 Whitmore, W.F. et al (1978). Intratesticular Grafts: The Testis as an Exceptionally Immunologically Privileged Site. Trans. Am. Assoc. Gen. Urinary Surg. 70:76-80. Wickelgren, I. (1996). Muscling Transplants into Mice. Science, 273:33.

in the first

4/12/62

		- 					
\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	 Willing, A.E. et al (1998). Sertoli transplants to treat neuro-degenerative disease. Mol. Med. Today, 4:471-477. Willing, A.E. et al (1999). Sertoli cells decrease microglia response and increase engratment of human hNT neurons in the hemiparkinsonial rat straitum. Brain Rev. Bul., 48 441-444. 						
	Willing, A.E. et al (1999). Sertoli cells enhance the survival of co-transplanted dopamine neurons 822:246-250.						
	Yagita, H. et al (1996). CD95 ligand in graft rejection. Nature, 379-682.						
100			()				
			<u> </u>				
			J 1				
EXAMINER	C. Fin - L. DATE CONS. 4	DERED ₂ / ¿ c	(7) (-) (-) (-)				
-							

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP § 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to the applicant.

PTO/SB/ 08 (2-92) COMMERCE Patent and Trademark Office: U.S. DEPARTMENT OF